

TITL Collaborative Study #23

SAMPLE C5

MARLBORO KS SP

SMOKING RUN	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
1	19.68	8.50	3.17	1.10	15.41	15.28
	20.10	8.70	3.00	1.12	15.98	15.19
2	19.12	9.00	2.08	1.09	15.95	13.88
	20.82	8.70	3.45	1.13	16.24	15.15
3	20.72	8.40	3.44	1.12	16.16	15.00
	19.44	8.50	3.50	1.19	14.75	13.97
4	20.24	8.30	3.61	1.17	15.45	13.57
	20.38	8.80	3.49	1.09	15.80	14.63
5	19.02	8.00	2.86	1.05	15.11	14.15
	20.56	8.20	3.43	1.10	16.03	15.12
6	18.88	8.10	2.73	1.06	15.09	14.73
	19.88	8.20	3.26	1.07	15.55	14.77
7	20.14	8.40	3.68	1.13	15.34	14.45
	20.34	8.20	3.81	1.12	15.41	14.61
8	19.48	8.10	3.66	1.10	14.71	14.75
	20.18	8.70	3.52	1.16	15.49	14.76
9	20.00	8.20	3.45	1.08	15.47	15.73
	20.60	8.10	3.65	1.12	15.83	15.14
10	19.98	8.10	3.31	1.09	15.58	15.45
	19.38	8.00	2.99	1.09	15.31	15.10
	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
Average.	19.95	8.36	3.30	1.11	15.53	14.77
Stand. Dev.	0.57	0.29	0.41	0.04	0.43	0.55
Count	20	20	20	20	20	20

PM3000880797